

HF RAILCAR CAPPING KIT TRAINING



DOT-SP15284
DOT 112S5001

	TEST TYPE	QUALIFIED	DUPLICATE
TANK QUALIFICATION	TIOC	2014	2024
THICKNESS TEST	TIOC	2014	2019
SERVICE EQUIPMENT	TIOC	2014	2019
FRD.COMB. 1 375 PSI	TIOC	2014	2019
LINING			
BB&Z INSPECTION	TIOC	2014	2024
STUB SILL INSPECTION	TIOC	2014	2024

ACTX 300016
CAPY 22830 US GAL
CAPY 86 421 L

HYDROGEN FLUORIDE, ANHYDROUS
INHALATION HAZARD

1052
8
INHALATION HAZARD
6

M901E DFT GR
36" 1W CLASS C W/LS
SPRG D-5
BR BM AAR 24

1052
8
INHALATION HAZARD
6

2 INCH HF COMP SHOES

Honeywell


As part of Honeywell's commitment to safe and reliable transportation of hydrofluoric (HF) acid, we work extensively with our customers and local emergency responders to assist with emergency response training. This includes instructor-led HF Railcar Capping Kit training.

Honeywell offers an extensive Anhydrous HF (AHF) railcar fleet that meets the U.S. Department of Transportation (DOT) design requirements. In the unlikely event of HF leakage within the railcar protective housing, a capping kit (Chlorine "C" or Midland) can be installed by emergency responders to mitigate leaks.

PRACTICE HF RAILCAR CAPPING SKILLS USING HONEYWELL'S AHF TRAINING PROP

Honeywell offers excellent training utilizing an AHF Railcar prop that has been outfitted to replicate an AHF railcar protective housing. This training is:

- **Convenient:** The railcar training prop is on a skid that can be shipped to your facility to give site and local emergency responders hands-on experience and practice as your training schedule allows.
- **Practical:** After HF Railcar Capping Kit instruction is complete, Honeywell will leave the portable railcar training skid so employees can practice on it for up to two weeks. This allows them to become even more familiar with Capping Kit design and installation.



For more information

If you have questions or would like to schedule Capping Kit Training, please contact your Honeywell Account Manager or HF Technical Services Manager. To register for HF training courses or online seminars, visit: www.honeywell-hfacid.com

Honeywell HF Acid

115 Tabor Road
Morris Plains, NJ 07950
www.honeywell-hfacid.com



Although Honeywell International Inc. believes that the information contained herein is accurate and reliable, it is presented without guarantee or responsibility of any kind and does not constitute any representation or warranty of Honeywell International Inc., either expressed or implied. A number of factors may affect the performance of any products used in conjunction with user's materials, such as other raw materials, application, formulation, environmental factors and manufacturing conditions among others, all of which must be taken into account by the user in producing or using the products. The user should not assume that all necessary data for the proper evaluation of these products are contained herein. Information provided herein does not relieve the user from the responsibility of carrying out its own tests and experiments, and the user assumes all risks and liabilities (including, but not limited to, risks relating to results, patent infringement, regulatory compliance and health, safety and environment) related to the use of the products and/or information contained herein.

FLR-22-30-EN | 06/22
© 2022 Honeywell International Inc.

**THE
FUTURE
IS
WHAT
WE
MAKE IT**

Honeywell